

Quality ID #154 (NQF 0101): Falls: Risk Assessment
– National Quality Strategy Domain: Patient Safety
– Meaningful Measure Area: Preventable Healthcare Harm

2021 COLLECTION TYPE:
MIPS CLINICAL QUALITY MEASURES (CQMS)

MEASURE TYPE:
Process - High Priority

This is a two-part measure which is paired with Measure #155: Falls: Plan of Care. If the falls risk assessment indicates the patient has documentation of two or more falls in the past year or any fall with injury in the past year (CPT II code **1100F** is submitted), #155 may also be submitted.

DESCRIPTION:
Percentage of patients aged 65 years and older with a history of falls that had a risk assessment for falls completed within 12 months

INSTRUCTIONS:
This measure is to be submitted a minimum of **once per performance period** for patients seen during the performance period. There is no diagnosis associated with this measure. This measure is appropriate for use in all non-acute settings (with the exception of emergency departments and acute care hospitals). This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

NOTE: Patient encounters for this measure conducted via telehealth (e.g., encounters coded with GQ, GT, 95, or POS 02 modifiers) are allowable.

Measure Submission Type:
Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

DENOMINATOR:
All patients aged 65 years and older who have a history of falls (history of falls is defined as 2 or more falls in the past year or any fall with injury in the past year). Documentation of patient reported history of falls is sufficient

Denominator Criteria (Eligible Cases):
Patients aged ≥ 65 years on date of encounter

AND
Patient encounter during the performance period (CPT or HCPCS): 92540, 92541, 92542, 92548, 97161, 97162, 97163, 97164, 97165, 97166, 97167, 97168, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

AND
Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year: 1100F

AND NOT

DENOMINATOR EXCLUSIONS:

Hospice services for patient provided any time during the measurement period: G9718

NUMERATOR:

Patients who had a risk assessment for falls completed within 12 months

Definitions:

Fall – A sudden, unintentional change in position causing an individual to land at a lower level, on an object, the floor, or the ground, other than as a consequence of sudden onset of paralysis, epileptic seizure, or overwhelming external force.

Risk Assessment – Comprised of balance/gait AND one or more of the following: postural blood pressure, vision, home fall hazards, and documentation on whether medications are a contributing factor or not to falls within the past 12 months.

Balance/gait Assessment - Medical record must include documentation of observed transfer and walking or use of a standardized scale (e.g., Get Up & Go, Berg, Tinetti) or documentation of referral for assessment of balance/gait.

Postural blood pressure - Documentation of blood pressure values in supine and then standing positions.

Vision Assessment - Medical record must include documentation that patient is functioning well with vision or not functioning well with vision based on discussion with the patient or use of a standardized scale or assessment tool (e.g., Snellen) or documentation of referral for assessment of vision.

Home fall hazards Assessment - Medical record must include documentation of counseling on home falls hazards or documentation of inquiry of home fall hazards or referral for evaluation of home fall hazards.

Medications Assessment - Medical record must include documentation of whether the patient's current medications may or may not contribute to falls.

Numerator Instruction:

All components do not need to be completed during one patient visit, but should be documented in the medical record as having been performed within the past 12 months.

Numerator Options:

| | | |
|------------------|--------------------------------------|--|
| <u>OR</u> | <i>Performance Met:</i> | Falls risk assessment documented (3288F) |
| | <i>Denominator Exception:</i> | Documentation of medical reason(s) for not completing a risk assessment for falls (i.e., patient is not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair or minimal help in wheelchair) (3288F with 1P) |
| <u>OR</u> | <i>Performance Not Met:</i> | Falls risk assessment not completed, reason not otherwise specified (3288F with 8P) |

RATIONALE:

Screening for specific medical conditions may direct the therapy. Although the clinical guidelines and supporting evidence calls for an evaluation of many factors, it was felt that for the purposes of measuring performance and facilitating implementation this initial measure must be limited in scope. For this reason, the work group defined an evaluation of balance and gait as a core component that must be completed on all patients with a history of falls as well as four additional evaluations – at least one of which must be completed within the 12 month period. Data elements required for the measure can be captured and the measure is actionable by the physician.

CLINICAL RECOMMENDATION STATEMENTS:

Older people who present for medical attention because of a fall, or report recurrent falls in the past year, or demonstrate abnormalities of gait and/or balance should be offered a multifactorial falls risk assessment. This

assessment should be performed by a health care professional with appropriate skills and experience, normally in the setting of a specialist falls service. This assessment should be part of an individualized, multifactorial intervention. (NICE) (Grade C)

Multifactorial assessment may include the following:

- Identification of falls history
- Assessment of gait, balance and mobility, and muscle weakness
- Assessment of osteoporosis risk
- Assessment of the older person's perceived functional ability and fear relating to falling
- Assessment of visual impairment
- Assessment of cognitive impairment and neurological examination
- Assessment of urinary incontinence
- Assessment of home hazards
- Cardiovascular examination and medication review (nice) (grade c)

A falls risk assessment should be performed for older persons who present for medical attention because of a fall, report recurrent falls in the past year, report difficulties in walking or balance or fear of falling, or demonstrate unsteadiness or difficulty performing a gait and balance test.

The falls risk evaluation should be performed by a clinician with appropriate skills and experience. [C] A falls risk assessment is a clinical evaluation that should include the following, but are not limited to:

- A history of fall circumstances
- Review of all medications and doses
- Evaluation of gait and balance, mobility levels and lower extremity joint function
- Examination of vision
- Examination of neurological function, muscle strength, proprioception, reflexes, and tests of cortical, extrapyramidal, and cerebellar function
- Cognitive evaluation
- Screening for depression
- Assessment of postural blood pressure
- Assessment of heart rate and rhythm
- Assessment of heart rate and rhythm, and blood pressure responses to carotid sinus stimulation if appropriate
- Assessment of home environment

The falls risks assessment should be followed by direct intervention on the identified risk. [A] (AGS)

COPYRIGHT:

This Physician Performance Measure (Measure) and related data specifications were developed by the former PCPI® Foundation (PCPI®) and the National Committee for Quality Assurance (NCQA). Neither the American Medical Association (AMA) or NCQA shall be responsible for any use of the Measure. The Measure is not a clinical guideline and does not establish a standard of medical care and has not been tested for all potential applications.

THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

The AMA and NCQA make no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications.

The Measure can be reproduced and distributed, without modification, for noncommercial purposes (e.g., use by healthcare providers in connection with their practices) without obtaining approval from NCQA. Commercial use is

defined as the sale, licensing, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain. All commercial uses or requests for modification must be approved by NCQA and are subject to a license at the discretion of NCQA.


©2012-2020 National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. The AMA and NCQA disclaim all liability for use or accuracy of any third party codes contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2020 American Medical Association. LOINC® copyright 2004-2020 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2020 International Health Terminology Standards Development Organisation. ICD-10 copyright 2020 World Health Organization. All Rights Reserved.

**2021 Clinical Quality Measure Flow for Quality ID #154 (NQF 0101):
Falls: Risk Assessment**

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.



SAMPLE CALCULATIONS

Data Completeness=

$$\frac{\text{Performance Met (a=40 patients)} + \text{Denominator Exception (b=10 patients)} + \text{Performance Not Met (c=20 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=40 patients)}}{\text{Data Completeness Numerator (70 patients) – Denominator Exception (b=10 patients)}} = \frac{40 \text{ patients}}{60 \text{ patients}} = 66.67\%$$

*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-Process

CPT only copyright 2020 American Medical Association. All rights reserved.
The measure diagrams were developed by CMS as a supplemental resource to
be used in conjunction with the measure specifications. They should not be
used alone or as a substitution for the measure specification. v5

**2021 Clinical Quality Measure Flow Narrative for Quality ID #154 (NQF 0101):
Falls: Risk Assessment**

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.

1. Start with Denominator
2. Check *Patient aged greater than or equal to 65 years on date of encounter*.
 - a. If *Patient aged greater than or equal to 65 years on date of encounter* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient aged greater than or equal to 65 years on date of encounter* equals Yes, proceed to *Patient encounter during the performance period as listed in Denominator**.
3. Check *Patient encounter during the performance period as listed in Denominator**.
 - a. If *Patient encounter during the performance period as listed in Denominator** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient encounter during the performance period as listed in Denominator** equals Yes, proceed to *Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year*.
4. Check *Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year*.
 - a. If *Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year* equals Yes, proceed to *Hospice services for patient provided any time during the measurement period*.
5. Check *Hospice services for patient provided any time during the measurement period*:
 - a. If *Hospice services for patient provided any time during the measurement period* equals No, include in *Eligible Population/Denominator*.
 - b. If *Hospice services for patient provided any time during the measurement period* equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
6. Denominator Population:
 - Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
7. Start Numerator
8. Check *Fall risk assessment documented*:
 - a. If *Fall risk assessment documented* equals Yes, include in *Data Completeness Met and Performance Met*.

- *Data Completeness Met and Performance Met* is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 patients in the Sample Calculation.
- b. If *Fall risk assessment documented* equals No, proceed to *Documentation of medical reason(s) for not completing a risk assessment for falls*.
9. Check *Documentation of medical reason(s) for not completing a risk assessment for falls*:
 - a. If *Documentation of medical reason(s) for not completing a risk assessment for falls* equals Yes, include in *Data Completeness Met and Denominator Exception*.
 - *Data Completeness Met and Denominator Exception* is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 10 patients in the Sample Calculation.
 - b. If *Documentation of medical reason(s) for not completing a risk assessment for falls* equals No, proceed to *Falls risk assessment not completed, reason not otherwise specified*.
 10. Check *Falls risk assessment not completed, reason not otherwise specified*:
 - a. If *Falls risk assessment not completed, reason not otherwise specified* equals Yes, include in the *Data Completeness Met and Performance Not Met*.
 - *Data Completeness Met and Performance Not Met* is represented as Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 20 patients in the Sample Calculation.
 - b. If *Falls risk assessment not completed, reason not otherwise specified* equals No, proceed to *Data Completeness Not Met*.
 11. Check *Data Completeness Not Met*:
 - a. If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

Sample Calculations:

Data Completeness equals Performance Met (a equals 40 patients) plus Denominator Exception (b equals 10 patients) plus Performance Not Met (c equals 20 patients) divided by Eligible Population / Denominator (d equals 80 patients). All equals 70 patients divided by 80 patients. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 40 patients) divided by Data Completeness Numerator (70 patients) minus Denominator Exception (b equals 10 patients). All equals 40 patients divided by 60 patients. All equals 66.67 percent.

*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-process

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.